


Accessibility Conformance Report

ADA/WCAG/UNI-EN301549
accessibility statement
(based on [VPAT®](#))



Client:

Southwood Financial LLC

URL:

southwood.co

Date:

04/06/2026



Table of contents

Accessibility Conformance Report	1
Table of contents	3
01. Introduction	4
01.1 - About	5
01.2 - Test environments	5
Operating systems	5
Browsers and user software	5
Screen readers and assistive technologies	5
02. Accessibility Conformance Report	7
02.1 - General infos	8
03. WCAG 2.2 Report	10
03.1 - Success Criteria, Level A	11
03.2 - Success Criteria, Level AA	12
04. Revised Section 508 Report	14
04.1 Chapter 3: Functional Performance Criteria (FPC)	15
04.2 Chapter 4: Hardware	16
04.3 Chapter 5: Software	19
04.4 Chapter 6: Support Documentation and Services	21
05. EN 301 549 Report	22
05.1 Chapter 4: Functional Performance Statements (FPS)	23
05.2 Chapter 5: Generic Requirements	24
05.3 Chapter 6: ICT with Two-Way Voice Communication	26
05.4 Chapter 7: ICT with Video Capabilities	27
05.5 Chapter 8: Hardware	28
05.6 Chapter 9: Web (see WCAG 2.2 section)	30
05.7 Chapter 10: Non-Web Documents	30
05.8 Chapter 11: Software	30
05.9 Chapter 12: Documentation and Support Services	33
05.10 Chapter 13: ICT Providing Relay or Emergency Service Access	34
06. Annexes	35
06.1 - Web accessibility	36
06.2 - WCAG	37
06.3 - Methodology	39
Objective manual and semi-automatic verification methodology	39
Automated tools for syntax checking	39
Automatic and semi-automatic tools for color verification	39
Automatic and semi-automatic tools for checking accessibility	39
Terms	40

01. Introduction

01.1 - About

The VPAT is provided in four editions based on the standards/guidelines being evaluated. The editions are WCAG, Revised 508, EN 301 549 and International, which includes all of the standards.

This document is based on WCAG and EU edition of the VPAT. It includes the following standards/guidelines: · Web Content Accessibility Guidelines 2.0 · Web Content Accessibility Guidelines 2.1, UNI-EN 301549.

For [more informations read ITI web page](#)

PLEASE NOTE: While a VPAT can be an essential aid in assessing the availability of ICT products with accessibility features, it is important to note that, even in cases where a product conforms to relevant standards and technical specifications, an end user may still encounter difficulties utilizing it due to the nature or severity of their disability. On the other hand, a product that may not fully conform to all technical requirements may still be perfectly accessible to an end user who has a disability, but does not need a particular accessibility feature, e.g., a large-button telephone handset for an individual with a hearing disability.

01.2 - Test environments

Operating systems

- Apple Mac Os X (last version)
- Microsoft Windows (last version)
- Apple Ios (last version)
- Google Android (last version)

We have not used Linux as it is currently very uncommon among users with disabilities.

Browsers and user software

In the latest versions available on the different operating systems:

- Google Chrome
- Windows Edge
- Safari
- Adobe Acrobat Reader / Preview on Mac (for PDFs only)

Screen readers and assistive technologies

In order to achieve the most standard evaluation **we test everything with no adaptation.**

In order to make the most realistic evaluation **we also make some adaptation like:**

- Graphic adaptations present on the different systems (colors, contrasts, subtitles, etc.)
- Mouse emulations, magnifiers and screen keyboards or keyboard improved settings always of the different systems
- Voiceover - Apple systems only
- Talkback - Android only
- NVDA (last version) and Freedom scientific Jaws (second-to-last version) - PC systems only

02. Accessibility Conformance Report

02.1 - General infos

Company: Southwood Financial LLC

Name of Product/Version: southwood.co

Report Date: 04/06/2026

Product Description: Informational website for a financial services company, non-transactional, with a link to an external portal for login and payments.

Contact Information: customerservice@southwood.co

Evaluation Methods Used: (see [05.3 - Methodology](#))

Applicable Standards/Guidelines

Web Content Accessibility Guidelines 2.0	Level A (YES) Level AA (YES) Levels AAA (NO)
Web Content Accessibility Guidelines 2.1	Level A (YES) Level AA (YES) Levels AAA (NO)
Web Content Accessibility Guidelines 2.2	Level A (YES) Level AA (YES) Levels AAA (NO)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	YES
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	YES

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

03. WCAG 2.2 Report

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.2 Conformance Requirements.

03.1 - Success Criteria, Level A

Criteria	Conformance level	Remarks and explanations
1.1.1 Non-text Content	Supports	
1.2.1 Audio-only and Video-only (Prerecorded)	Supports	
1.2.2 Captions (Prerecorded)	Supports	
1.2.3 Audio Description or Media Alternative (Prerecorded)	Supports	
1.3.1 Info and Relationships	Supports	
1.3.2 Meaningful Sequence	Supports	
1.3.3 Sensory Characteristics	Supports	
1.4.1 Use of Color	Supports	
1.4.2 Audio Control	Supports	
2.1.1 Keyboard	Supports	
2.1.2 No Keyboard Trap	Supports	
2.1.4 Character Key Shortcuts	Supports	
2.2.1 Timing Adjustable	Supports	
2.2.2 Pause, Stop, Hide	Supports	
2.3.1 Three Flashes or Below Threshold	Supports	

2.4.1 Bypass Blocks	Supports	
2.4.2 Page Titled	Supports	
2.4.3 Focus Order	Supports	
2.4.4 Link Purpose (In Context)	Supports	
2.5.1 Pointer Gestures	Supports	
2.5.2 Pointer Cancellation	Supports	
2.5.3 Label in Name	Supports	
2.5.4 Motion Actuation	Supports	
3.1.1 Language of Page	Supports	
3.2.1 On Focus	Supports	
3.2.2 On Input	Supports	
3.2.6 Consistent Help	Supports	
3.3.1 Error Identification	Supports	
3.3.2 Labels or Instructions	Supports	
3.3.7 Redundant Entry	Supports	
4.1.1 Parsing	Supports	
4.1.2 Name, Role, Value	Supports	

03.2 - Success Criteria, Level AA

Criteria	Conformance level	Remarks and explanations
1.2.5 Audio Description (Prerecorded)	Supports	
1.3.4 Orientation	Supports	
1.3.5 Identify Input Purpose	Supports	

1.4.3 Contrast (Minimum)	Supports	
1.4.4 Resize text	Supports	
1.4.5 Images of Text	Supports	
1.4.10 Reflow	Supports	
1.4.11 Non-text Contrast	Supports	
1.4.12 Text Spacing	Supports	
1.4.13 Content on Hover or Focus	Supports	
2.4.5 Multiple Ways	Supports	
2.4.6 Headings and Labels	Supports	
2.4.7 Focus Visible	Supports	
2.4.11 Focus Not Obscured (Minimum)	Supports	
2.5.7 Dragging Movements	Supports	
2.5.8 Target Size (Minimum)	Supports	
3.1.2 Language of Parts	Supports	
3.2.3 Consistent Navigation	Supports	
3.2.4 Consistent Identification	Supports	
3.3.3 Error Suggestion	Supports	
3.3.4 Error Prevention (Legal, Financial, Data)	Supports	
3.3.8 Accessible Authentication (Minimum)	Supports	
4.1.3 Status Messages	Supports	

04. Revised Section 508 Report

04.1 Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and explanations
302.1 Without Vision	Partially Supports	See WCAG/EN301549 issues
302.2 With Limited Vision	Partially Supports	See WCAG/EN301549 issues
302.3 Without Perception of Color	Partially Supports	See WCAG/EN301549 issues
302.4 Without Hearing	Partially Supports	See WCAG/EN301549 issues
302.5 With Limited Hearing	Partially Supports	See WCAG/EN301549 issues
302.6 Without Speech	Not applicable	
302.7 With Limited Manipulation	Not applicable	
302.8 With Limited Reach and Strength	Not applicable	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	See WCAG/EN301549 issues

04.2 Chapter 4: Hardware

Criteria	Conformance Level	Remarks and explanations
402 Closed Functionality	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
402.1 General	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
402.2 Speech-Output Enabled	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
402.2.1 Information Displayed On-Screen	Not Applicable	
402.2.2 Transactional Outputs	Not Applicable	
402.2.3 Speech Delivery Type and Coordination	Not Applicable	
402.2.4 User Control	Not Applicable	
402.2.5 Braille Instructions	Not Applicable	
402.3 Volume	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
402.3.1 Private Listening	Not Applicable	
402.3.2 Non-private Listening	Not Applicable	
402.4 Characters on Display Screens	Not Applicable	
402.5 Characters on Variable Message Signs	Not Applicable	
403 Biometrics	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
403.1 General	Not Applicable	
404 Preservation of Information Provided for Accessibility	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
404.1 General	Not Applicable	
405 Privacy	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
405.1 General	Not Applicable	
406 Standard Connections	<i>Heading cell – no</i>	<i>Heading cell – no response</i>

Criteria	Conformance Level	Remarks and explanations
	<i>response required</i>	<i>required</i>
406.1 General	Not Applicable	
407 Operable Parts	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
407.2 Contrast	Not Applicable	
407.3 Input Controls	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
407.3.1 Tactilely Discernible	Not Applicable	
407.3.2 Alphabetic Keys	Not Applicable	
407.3.3 Numeric Keys	Not Applicable	
407.4 Key Repeat	Not Applicable	
407.5 Timed Response	Not Applicable	
407.6 Operation	Not Applicable	
407.7 Tickets, Fare Cards, and Keycards	Not Applicable	
407.8 Reach Height and Depth	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
407.8.1 Vertical Reference Plane	Not Applicable	
407.8.1.1 Vertical Plane for Side Reach	Not Applicable	
407.8.1.2 Vertical Plane for Forward Reach	Not Applicable	
407.8.2 Side Reach	Not Applicable	
407.8.2.1 Unobstructed Side Reach	Not Applicable	
407.8.2.2 Obstructed Side Reach	Not Applicable	
407.8.3 Forward Reach	Not Applicable	
407.8.3.1 Unobstructed Forward Reach	Not Applicable	
407.8.3.2 Obstructed Forward Reach	Not Applicable	
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Not Applicable	
407.8.3.2.2 Knee and Toe Space under	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
ICT with Obstructed Forward Reach		
408 Display Screens	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
408.2 Visibility	Not Applicable	
408.3 Flashing	Not Applicable	
409 Status Indicators	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
409.1 General	Not Applicable	
410 Color Coding	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
410.1 General	Not Applicable	
411 Audible Signals	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
411.1 General	Not Applicable	
412 ICT with Two-Way Voice Communication	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
412.2 Volume Gain	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
412.2.1 Volume Gain for Wireline Telephones	Not Applicable	
412.2.2 Volume Gain for Non-Wireline ICT	Not Applicable	
412.3 Interference Reduction and Magnetic Coupling	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
412.3.1 Wireless Handsets	Not Applicable	
412.3.2 Wireline Handsets	Not Applicable	
412.4 Digital Encoding of Speech	Not Applicable	
412.5 Real-Time Text Functionality	Reserved for future	Reserved for future
412.6 Caller ID	Not Applicable	
412.7 Video Communication	Not Applicable	
412.8 Legacy TTY Support	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>

Criteria	Conformance Level	Remarks and explanations
412.8.1 TTY Connectability	Not Applicable	
412.8.2 Voice and Hearing Carry Over	Not Applicable	
412.8.3 Signal Compatibility	Not Applicable	
412.8.4 Voice Mail and Other Messaging Systems	Not Applicable	
413 Closed Caption Processing Technologies	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
413.1.1 Decoding and Display of Closed Captions	Not Applicable	
413.1.2 Pass-Through of Closed Caption Data	Not Applicable	
414 Audio Description Processing Technologies	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
414.1.1 Digital Television Tuners	Not Applicable	
414.1.2 Other ICT	Not Applicable	
415 User Controls for Captions and Audio Descriptions	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
415.1.1 Caption Controls	Not Applicable	
415.1.2 Audio Description Controls	Not Applicable	

04.3 Chapter 5: Software

Criteria	Conformance Level	Remarks and explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	<i>See information in WCAG 2.2 section</i>
502 Interoperability with Assistive Technology	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
502.2.1 User Control of Accessibility Features	Not Applicable	
502.2.2 No Disruption of Accessibility Features	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
502.3 Accessibility Services	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
502.3.1 Object Information	Not Applicable	
502.3.2 Modification of Object Information	Not Applicable	
502.3.3 Row, Column, and Headers	Not Applicable	
502.3.4 Values	Not Applicable	
502.3.5 Modification of Values	Not Applicable	
502.3.6 Label Relationships	Not Applicable	
502.3.7 Hierarchical Relationships	Not Applicable	
502.3.8 Text	Not Applicable	
502.3.9 Modification of Text	Not Applicable	
502.3.10 List of Actions	Not Applicable	
502.3.11 Actions on Objects	Not Applicable	
502.3.12 Focus Cursor	Not Applicable	
502.3.13 Modification of Focus Cursor	Not Applicable	
502.3.14 Event Notification	Not Applicable	
502.4 Platform Accessibility Features	Not Applicable	
503 Applications	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
503.2 User Preferences	Not Applicable	
503.3 Alternative User Interfaces	Not Applicable	
503.4 User Controls for Captions and Audio Description	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
503.4.1 Caption Controls	Not Applicable	
503.4.2 Audio Description Controls	Not Applicable	
504 Authoring Tools	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.2 section	<i>See information in WCAG 2.2 section</i>

Criteria	Conformance Level	Remarks and explanations
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	
504.2.2 PDF Export	Not Applicable	
504.3 Prompts	Not Applicable	
504.4 Templates	Not Applicable	

04.4 Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and explanations
601.1 Scope	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
602 Support Documentation	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
602.2 Accessibility and Compatibility Features	Not Applicable	
602.3 Electronic Support Documentation	See WCAG 2.2 section	<i>See information in WCAG 2.2 section</i>
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	
603 Support Services	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
603.2 Information on Accessibility and Compatibility Features	Not Applicable	
603.3 Accommodation of Communication Needs	Not Applicable	

05. EN 301 549 **Report**

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.2 Conformance Requirements.

Testing was performed with accessibility solutions enabled (where provided). Accessibility outcomes at the source-code level may differ if the solution is not used.

05.1 Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and explanations
4.2.1 Usage without vision	Partially Supports	
4.2.2 Usage with limited vision	Partially Supports	
4.2.3 Usage without perception of color	Partially Supports	
4.2.4 Usage without hearing	Partially Supports	
4.2.5 Usage with limited hearing	Partially Supports	
4.2.6 Usage with no or limited vocal capability	Partially Supports	
4.2.7 Usage with limited manipulation or strength	Partially Supports	
4.2.8 Usage with limited reach	Partially Supports	
4.2.9 Minimize photosensitive seizure triggers	Partially Supports	
4.2.10 Usage with limited cognition, language or learning	Partially Supports	
4.2.11 Privacy	Partially Supports	

05.2 Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and explanations
5.1 Closed functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.2 General	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.2.1 Closed functionality	<i>See 5.2 through 13</i>	<i>See information in 5.2 through 13</i>
5.1.2.2 Assistive technology	<i>See 5.1.3 through 5.1.6</i>	<i>See information in 5.1.3 through 5.1.6</i>
5.1.3 Non-visual access	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.3.1 Audio output of visual information	Not Applicable	
5.1.3.2 Auditory output delivery including speech	Not Applicable	
5.1.3.3 Auditory output correlation	Not Applicable	
5.1.3.4 Speech output user control	Not Applicable	
5.1.3.5 Speech output automatic interruption	Not Applicable	
5.1.3.6 Speech output for non-text content	Not Applicable	
5.1.3.7 Speech output for video information	Not Applicable	
5.1.3.8 Masked entry	Not Applicable	
5.1.3.9 Private access to personal data	Not Applicable	
5.1.3.10 Non-interfering audio output	Not Applicable	
5.1.3.11 Private listening volume	Not Applicable	
5.1.3.12 Speaker volume	Not Applicable	
5.1.3.13 Volume reset	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
5.1.3.14 Spoken languages	Not Applicable	
5.1.3.15 Non-visual error identification	Not Applicable	
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	
5.1.4 Functionality closed to text enlargement	Not Applicable	
5.1.5 Visual output for auditory information	Not Applicable	
5.1.6 Operation without keyboard interface	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.6.1 Closed functionality	<i>See 5.1.3.1 through 5.1.3.16</i>	<i>See information in 5.1.3.1 through 5.1.3.16</i>
5.1.6.2 Input focus	Not Applicable	
5.1.7 Access without speech	Not Applicable	
5.2 Activation of accessibility features	Not Applicable	
5.3 Biometrics	Not Applicable	
5.4 Preservation of accessibility information during conversion	Not Applicable	
5.5 Operable parts	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.5.1 Means of operation	Not Applicable	
5.5.2 Operable parts discernibility	Not Applicable	
5.6 Locking or toggle controls	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.6.1 Tactile or auditory status	Not Applicable	
5.6.2 Visual status	Not Applicable	
5.7 Key repeat	Not Applicable	
5.8 Double-strike key acceptance	Not Applicable	
5.9 Simultaneous user actions	Not Applicable	

05.3 Chapter 6: ICT with Two-Way Voice Communication

Criteria	Conformance Level	Remarks and explanations
6.1 Audio bandwidth for speech	<i>Not Applicable</i>	
6.2 Real-time text (RTT) functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.2.1.1 RTT communication	Not Applicable	
6.2.1.2 Concurrent voice and text	Not Applicable	
6.2.2.1 Visually distinguishable display		
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	
6.2.2.3 Speaker identification	Not Applicable	
6.2.2.4 Visual indicator of Audio with RTT	Not Applicable	
6.2.3 Interoperability	Not Applicable	
6.2.4 RTT responsiveness	Not Applicable	
6.3 Caller ID	Not Applicable	
6.4 Alternatives to voice-based services	Not Applicable	
6.5 Video communication	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.5.1 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.5.2 Resolution	Not Applicable	
6.5.3 Frame rate	Not Applicable	
6.5.4 Synchronization between audio and video	Not Applicable	
6.5.5 Visual indicator of audio with video	Not Applicable	
6.5.6 Speaker identification with video (sign language) communication	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
6.6 Alternatives to video-based services (advisory only)	<i>Advisory no response required</i>	<i>Advisory no response required</i>

05.4 Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and explanations
7.1 Caption processing technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
7.1.1 Captioning playback	Not Applicable	
7.1.2 Captioning synchronization	Not Applicable	
7.1.3 Preservation of captioning	Not Applicable	
7.1.4 Captions characteristics	Not Applicable	
7.1.5 Spoken subtitles	Not Applicable	
7.2.1 Audio description playback	Not Applicable	
7.2.2 Audio description synchronization	Not Applicable	
7.2.3 Preservation of audio description	Not Applicable	
7.3 User controls for captions and audio description	Not Applicable	

05.5 Chapter 8: Hardware

Criteria	Conformance Level	Remarks and explanations
8.1.1 Generic requirements	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.1.2 Standard connections	Not Applicable	
8.1.3 Colour	Not Applicable	
8.2 Hardware products with speech output	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.2.1.1 Speech volume range	Not Applicable	
8.2.1.2 Incremental volume control	Not Applicable	
8.2.2.1 Fixed-line devices	Not Applicable	
8.2.2.2 Wireless communication devices	Not Applicable	
8.3 Stationary ICT	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.3.2.1 Unobstructed high forward reach	Not Applicable	
8.3.2.2 Unobstructed low forward reach	Not Applicable	
8.3.2.3.1 Clear space	Not Applicable	
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not Applicable	
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not Applicable	
8.3.2.4 Knee and toe clearance width	Not Applicable	
8.3.2.5 Toe clearance	Not Applicable	
8.3.2.6 Knee clearance	Not Applicable	
8.3.3.1 Unobstructed high side reach	Not Applicable	
8.3.3.2 Unobstructed low side reach	Not Applicable	
8.3.3.3.1 Obstructed (\leq 255 mm) side reach	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
8.3.3.3.2 Obstructed (≤ 610 mm) side reach	Not Applicable	
8.3.4.1 Change in level	Not Applicable	
8.3.4.2 Clear floor or ground space	Not Applicable	
8.3.4.3.2 Forward approach	Not Applicable	
8.3.4.3.3 Parallel approach	Not Applicable	
8.3.5 Visibility	Not Applicable	
8.3.6 Installation instructions	Not Applicable	
8.4 Mechanically Operable parts	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.4.1 Numeric keys	Not Applicable	
8.4.2.1 Means of operation of mechanical parts	Not Applicable	
8.4.2.2 Force of operation of mechanical parts	Not Applicable	
8.4.3 Keys, tickets and fare cards	Not Applicable	
8.5 Tactile indication of speech mode	Not Applicable	

05.6 Chapter 9: Web (see WCAG 2.2 section)

05.7 Chapter 10: Non-Web Documents

Criteria	Conformance Level	Remarks and explanations
10.0 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

05.8 Chapter 11: Software

Criteria	Conformance Level	Remarks and explanations
11.0 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.1.1.1 through 11.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
11.5 Interoperability with assistive technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.1 Closed functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.2 Accessibility services	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.2.1 Platform accessibility service support for software that provides a user	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17

Criteria	Conformance Level	Remarks and explanations
interface		
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	
11.5.2.5 Object information	Not Applicable	
1.5.2.6 Row, column, and headers	Not Applicable	
11.5.2.7 Values	Not Applicable	
11.5.2.8 Label relationships	Not Applicable	
11.5.2.9 Parent-child relationships	Not Applicable	
11.5.2.10 Text	Not Applicable	
11.5.2.11 List of available actions	Not Applicable	
11.5.2.12 Execution of available actions	Not Applicable	
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	
11.5.2.14 Modification of focus and selection attributes	Not Applicable	
11.5.2.15 Change notification	Not Applicable	
11.5.2.16 Modifications of states and properties	Not Applicable	
11.5.2.17 Modifications of values and text	Not Applicable	
11.6 Documented accessibility usage	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.6.1 User control of accessibility features	Not Applicable	
11.6.2 No disruption of accessibility features	Not Applicable	
11.7 User preferences	Not Applicable	
11.8 Authoring tools	<i>Heading cell no</i>	<i>Heading cell no response</i>

Criteria	Conformance Level	Remarks and explanations
	<i>response required</i>	<i>required</i>
11.8.1 Content technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.8.2 Accessible content creation	See WCAG 2.2 section (If not authoring tool, enter "Not Applicable")	See information in WCAG 2.2 section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	
11.8.4 Repair assistance	Not Applicable	
11.8.5 Templates	Not Applicable	

05.9 Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and explanations
12.1 Product documentation	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
12.1.1 Accessibility and compatibility features	Not Applicable	
12.1.2 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
12.2 Support Services	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
12.2.2 Information on accessibility and compatibility features	Not Applicable	
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section

05.10 Chapter 13: ICT Providing Relay or Emergency Service Access

Criteria	Conformance Level	Remarks and explanations
13.1 Relay services requirements	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
13.1.2 Text relay services	Not Applicable	
13.1.3 Sign relay services	Not Applicable	
13.1.4 Lip-reading relay services	Not Applicable	
13.1.5 Captioned telephony services	Not Applicable	
13.1.6 Speech to speech relay services	Not Applicable	
13.2 Access to relay services	Not Applicable	
13.3 Access to emergency services	Not Applicable	

06. Annexes

06.1 - Web accessibility

Disability is defined as: any activity limitation or participation restriction in society, experienced by a person as a result of a substantial, lasting or definitive alteration of one or more physical, sensory, mental, cognitive, or psychic functions, a multiple disability, or a disabling health condition (article L. 114 of the Social Action and Families Code).

Web accessibility consists of making online public communication services accessible to people with disabilities, and is based on four fundamental principles:

Perceivable: Information and user interface components must be presented to the user in such a way that they can perceive them. For example, providing textual equivalents for all non-textual content that can then be presented in other forms according to the user's needs: large characters, braille, speech synthesis, symbols or simplified language.

Operable: User interface and navigation components must be operable. For example, making all functionality available via keyboard.

Understandable: Information and the use of the user interface must be understandable. Textual content must be made readable and navigation must be consistent.

Robust: Content must be sufficiently robust to be reliably interpreted by a wide variety of user agents, including assistive technologies.

06.2 - WCAG

WCAG overview

The Web Content Accessibility Guidelines, more commonly referred to as WCAG, is a set of guidelines developed with the aim of making web content more accessible to people with disabilities. It is developed by the World Wide Web Consortium (W3C), an international organization that develops open standards to ensure the long-term growth of the Web. The W3C's Web Accessibility Initiative (WAI) specifically handles the development and management of the WCAG.

The WCAG guidelines are globally recognized and adopted as the standard for digital accessibility. They have undergone multiple revisions since the release of WCAG 1.0 in 1999, with WCAG 2.0 being published in 2008, WCAG 2.1 in 2018, and WCAG 2.2 in 2023. These updates aim to account for changes in technology and a better understanding of different accessibility needs.

Levels of Conformance

The WCAG guidelines are divided into three levels of conformance: A (lowest), AA (midrange), and AAA (highest). Each level has specific criteria that must be satisfied to achieve that level of conformance. The guidelines are designed this way to meet the needs of different individuals and situations, with Level A addressing the most severe and limiting accessibility issues, and Level AAA addressing more comprehensive accessibility considerations.

It's important to remember that while WCAG is an excellent guideline and standard, achieving 100% compliance with WCAG does not necessarily mean a website is completely accessible to all users. It's crucial to complement these guidelines with user testing and continual reassessment of your site's accessibility needs.

[Accessibility web page](#)

An accessibility page on a website is a place where website owners can detail the measures they have taken to make their website accessible to individuals with disabilities. This is a best-practice in web design and development to enhance digital accessibility. Here are a few components you might often find on an accessibility page:

- **Commitment Statement:** This is a formal statement where the business or organization expresses its commitment to digital accessibility.
- **Standards Compliance:** This is where the website indicates the accessibility standards it adheres to, such as WCAG 2.2 Level AA. This may also include information about how the site has been tested for compliance with these standards.
- **Accessibility Features:** A rundown of the main accessibility features of the site, such as keyboard shortcuts, text size options, color contrast options, etc.
- **Instructions for Using Accessibility Features:** Detailed instructions on how to use the site's accessibility features, like how to turn on captions or use keyboard navigation.
- **Contact and Feedback:** Information on how to contact the website team to report accessibility issues, request accommodations, or provide feedback on the site's accessibility.
- **Update and Revision Date:** The date of the last update to the accessibility page or compliance information.

It's important to remember that the presence of an accessibility page doesn't guarantee in itself that the site is accessible, but it's an indicator of the company's commitment to digital accessibility.

06.3 - Methodology

Objective manual and semi-automatic verification methodology

We analyze content with different automatic and semiautomatic systems and compare the results between tools to obtain the most complete and objective verification. The reference standard, unless specifically requested, that we use is always the latest (WCAG 2.2) so that we can ensure compliance in all countries from which the touchpoint (site, app, etc.) can be accessed.

Our verification is therefore compliant with WCAG 2.2 level AA, and the requirements in UNI EN 301549 Guidelines or their declination in the French RGAAs. Each tool produces results that are then analyzed by our experts: it is, therefore, possible that not all tool results appear because they are judged to be false negatives.

Automated tools for syntax checking

- **W3C Markup Validation Service** : used with generated code, because it is the official tool for checking HTML, XHTML, MathHTML, etc
- **W3C CSS Validation service** : although the correctness of the CSS does not affect accessibility, it could affect some aspects that still have an impact on it if not correctly interpreted because it is incorrect. The verification is therefore appropriate and done with W3C CSS Validation Service
- PAC PDF checker

Automatic and semi-automatic tools for color verification

- **Color Contrast Analyser (CCA)** : used punctually on dubious contrasts
- **WCAG Color contrast checker** : used as the first check to verify the contrasts of the colors used in the CSS of the pages.
- **Text on background image a11y check** : used to check when text should overlap images
- **Color contrast accessibility evaluator** : used as an additional control for some online pages

Automatic and semi-automatic tools for checking accessibility

Some online validators used as samples on the pages:

- Accescan
- Wave

And other local tools:

- **Web developer toolbar**: Used to support manual verification. It allowed us to locate images without alt texts, fields without labels, etc

- **AXE e Lighthouse for Chrome:** they have provided us with precise indications on the defects of the accessibility of the HTML code but also on WAI ARIA attributes, fundamental in the case of web applications and interactive components.

Terms

The terms used in the Conformance Level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially Supports: Some functionality of the product does not meet the criterion.

Does Not Support: The majority of product functionality does not meet the criterion.

Not Applicable: The criterion is not relevant to the product.

Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

Compliance levels

To meet the needs of various groups and different contexts, three levels of compliance have been defined: A (lowest), AA, and AAA (highest).

Level A Criterion : Minimum level. Impacts the experience of a wide range of users / often requires simple implementation techniques.

Level AA Criterion : Improved accessibility level. Impacts a smaller group of users / may require more specific implementation techniques.

Level AAA Criterion : Maximum level of accessibility, suitable only for certain contexts.